

1 MQ3-45 A-O-A-BVBP



: 96515415

MQ -

ON/OFF

8

24

30

:
 :
 : 0 .. 35 °C
 : 20 °C
 : 998.2 / 3
 ::
 : 3 3/
 : 23
 : BVBP
 : CE
 - : ISO9906:2012 3B
 :
 : POM + (25%)
 : PPO + (20%)
 :
 : 0 .. 45 °C
 : 7.51
 : G1
 - :
 - P1: 1000
 : 50 Hz
 : 1 x 220-240 V
 : 4.5 A
 (IEC 34-5): IP54
 (IEC 85): B
 : 2
 : SCHUKO
 :
 : 13.3
 : 15.5
 : 0.055 3

	MQ3-45
	A-O-A-BVBP
	96515415
EAN	5700396723532
	3 ^{3/4}
	23
	45
	BVBP
	CE
	ISO9906:2012 3B
	A
	B
	POM +
	(25%)
	PPO +
	(20%)
	A
	0 .. 45 °C
	7.51
	O
	G1
	0 .. 35 °C
	20 °C
	998.2 / ³
	- P1:
	1000
	50 Hz
	1 x 220-240 V
	4.5 A
	(IEC 34-5):
	IP54
	(IEC 85):
	B
	2
	SCHUKO
	/
	13.3
	15.5
	0.055 ³

